



United States
Department of
Agriculture

National
Agricultural
Statistics
Service



Ct Gn 1 (01)

Cotton Ginnings 2000 Summary

May 2001

USDA



Cotton Ginnings: Running Bales Ginned (Excluding Linters)
by Type, State, and United States, Crop Years 1997-2000

Type and State	1997	1998	1999	2000
All Cotton				
AL	529,100	538,500	620,650	532,950
AZ	844,350	600,750	695,900	753,400
AR	1,627,600	1,172,600	1,390,300	1,406,300
CA	2,558,400	1,466,400	2,127,350	2,492,250
FL 1/				
GA	1,884,400	1,516,450	1,524,050	1,621,700
KS 1/				
LA	1,001,950	652,750	918,950	923,250
MS	1,766,450	1,400,900	1,680,400	1,676,600
MO	547,250	337,750	450,150	502,600
NM	79,900	69,600	59,250	64,150
NC	911,350	1,006,700	802,550	1,407,550
OK	178,100	138,450	139,500	146,050
SC	389,900	334,200	265,000	357,900
TN	646,850	530,600	574,300	691,350
TX	5,080,350	3,558,550	5,020,450	3,900,850
VA	131,400	133,850	133,950	146,800
US	18,301,050	13,533,950	16,528,050	16,741,850
Amer-Pima				
AZ	41,200	25,400	16,000	7,300
CA	422,450	340,550	580,100	332,950
NM	10,400	6,750	6,500	4,450
TX	57,150	54,050	47,550	30,200
US	531,200	426,750	650,150	374,900

1/ Not published to avoid disclosing individual gins, but included in the U.S. totals.

Cotton Ginnings: Running Bales Produced and Equivalent 480-Pound
Bales Ginned, by Type, State, and United States, Crop Years 1999-2000

Type and State	Running Bales Produced		Equivalent 480-Pound Bales Ginned	
	1999	2000	1999	2000
All Cotton				
AL	601,000	524,000	644,700	551,700
AZ	715,400	782,450	712,350	768,500
AR	1,406,300	1,404,250	1,410,300	1,426,500
CA	2,107,900	2,463,150	2,202,550	2,585,800
FL 1/	109,900	103,250		
GA	1,520,300	1,615,250	1,570,700	1,669,000
KS 1/	21,650	22,000		
LA	887,600	897,900	932,350	936,150
MS	1,694,050	1,680,500	1,716,800	1,706,800
MO	463,850	526,950	457,950	514,650
NM	118,900	103,250	59,600	65,300
NC	791,000	1,384,800	828,150	1,452,400
OK	139,350	149,700	143,000	147,750
SC	273,800	369,350	271,750	366,700
TN	577,500	691,400	590,450	708,500
TX	4,958,600	3,861,550	5,160,600	4,009,450
VA	140,950	162,100	135,700	149,850
US	16,528,050	16,741,850	16,966,200	17,179,500
Amer-Pima				
AZ	15,800	7,000	16,600	7,500
CA	580,400	333,250	602,450	346,000
NM	10,600	4,450	6,550	4,550
TX	43,350	30,200	48,850	30,950
US	650,150	374,900	674,450	389,000

1/ Not published to avoid disclosing individual gins, but included in the U.S. totals.

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 2000

Type and State	October 1	October 15	November 1
All Cotton			
AL	97,200	211,100	344,100
AZ	72,050	152,800	244,450
AR	295,200	675,900	1,131,900
CA	22,550	251,000	784,050
FL	5,800	20,800	45,250
GA	44,600	198,250	535,800
LA	413,050	648,500	825,250
MS	595,200	1,068,800	1,510,750
MO	108,350	258,400	423,250
NM	2,500	12,500	27,000
NC	4,100	127,150	408,650
OK	13,350	50,600	78,100
SC	11,150	64,000	151,100
TN	220,200	411,400	613,500
TX	1,380,450	1,775,050	2,027,950
VA	0	4,550	38,250
US	3,285,750	5,930,800	9,189,350
Amer-Pima			
AZ 1/			
CA	0	20,150	78,700
NM 1/			
TX 1/		1,100	6,400
US	1,050	23,200	89,600

See footnote at end of table.

-- continued

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 2000 (continued)

Type and State	November 15	December 1	December 15
All Cotton			
AL	425,950	467,850	504,550
AZ	310,700	414,500	519,200
AR	1,348,650	1,384,950	1,398,450
CA	1,275,700	1,744,800	2,092,950
FL	64,900	76,550	90,500
GA	905,250	1,193,700	1,433,950
LA	893,500	914,350	923,100
MS	1,644,650	1,667,100	1,673,400
MO	478,400	499,100	501,650
NM	37,950	49,750	57,750
NC	687,600	969,950	1,168,250
OK	88,600	121,900	137,800
SC	232,600	296,150	336,400
TN	673,350	685,450	691,100
TX	2,305,200	3,023,450	3,568,250
VA	73,450	109,550	135,350
US	11,446,450	13,619,100	15,232,650
Amer-Pima			
AZ 1/		4,750	5,400
CA	140,850	201,350	245,150
NM 1/		2,500	3,800
TX	12,000	18,050	22,500
US	158,850	226,650	276,850

See footnote at end of table.

-- continued

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 2000 (continued)

Type and State	January 1	January 15	February 1
All Cotton			
AL	520,900	528,150	531,500
AZ	609,800	666,700	703,850
AR	1,404,950	1,405,450	1,405,950
CA	2,313,900	2,416,600	2,467,400
FL 1/			
GA	1,533,900	1,600,950	1,620,000
KS 1/			
LA	923,100	923,100	923,100
MS	1,673,600	1,673,900	1,673,900
MO	502,000	502,000	502,050
NM	59,700	60,900	63,500
NC	1,300,400	1,372,000	1,397,200
OK	141,950	144,200	144,750
SC	351,700	355,750	357,300
TN	691,300	691,350	691,350
TX	3,793,250	3,864,300	3,880,550
VA	145,350	146,750	146,750
US	16,082,850	16,469,700	16,627,250
Amer-Pima			
AZ	6,400	6,400	7,150
CA	273,450	294,550	314,850
NM	3,950	4,050	4,350
TX	27,850	30,100	30,150
US	311,650	335,100	356,500

1/ Not published to avoid disclosing individual gins, but included in U.S. totals.

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
All Cotton	:					
Autauga	1/:					3,500
Baldwin	1/:					18,600
Barbour	:	0		0		4,800
Bibb	1/:	0		0		
Blount	1/:					1,700
Bullock	:	0		0		650
Butler	:	0		0		2,400
Calhoun	:	0		0		1,750
Cherokee	1/:					20,700
Chilton	1/:					700
Choctaw	:	0		0		2,150
Clarke	1/:	0		0		
Clay	:	0		0		1,300
Coffee	1/:					4,350
Colbert	1/:					35,400
Conecuh	:	0		0		3,600
Covington	1/:					15,550
Crenshaw	1/:					1,950
Cullman	:	0		0		2,750
Dale	:	0		0		2,650
Dallas	1/:					11,200
Dekalb	:	0		0		550
Elmore	1/:					11,050
Escambia	1/:					29,800
Etowah	:	0		0		2,800
Fayette	1/:					1,300
Franklin	:	0		0		1,700
Geneva	1/:					5,050
Greene	1/:					
Hale	:	0		0		1,150
Henry	1/:					5,900
Houston	1/:					10,000
Jackson	:	0		0		3,400
Lamar	:	0		0		700
Lauderdale	1/:					29,250
Lawrence	1/:					44,300

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Lee	0	0	2,200
Limestone	85,850	90,300	74,400
Lowndes 1/:			4,900
Macon	0	0	2,400
Madison	44,550	46,350	69,700
Marengo 1/:			3,950
Marshall	0	0	350
Mobile 1/:			15,400
Monroe 1/:			24,900
Montgomery	0	0	750
Morgan	0	0	950
Perry	0	0	2,100
Pike	0	0	3,750
Russell 1/:			2,950
Shelby	0	0	4,150
Talladega	0	0	9,300
Tallapoosa 1/:			1,550
Tuscaloosa 1/:			3,950
Washington	0	0	850
Wilcox	0	0	1,400
Other 2/:			10,750
Alabama	532,950	551,700	524,000
Cochise 1/:			3,900
Graham 1/:			57,000
La Paz 1/:			51,250
Maricopa	283,850	285,600	239,200
Mohave 1/:			9,750
Pima 1/:			29,850
Pinal	270,600	277,950	315,000
Yuma	78,850	80,850	76,500
Arizona	753,400	768,500	782,450
Arkansas	0	0	750
Ashley	90,950	91,550	92,800
Chicot 1/:			56,450
Clay	28,850	29,100	42,200
Craighead	178,650	176,550	176,450
Crittenden	63,000	64,050	40,700

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Cross	1/:					1,850
Desha	:	212,200		215,300		170,500
Drew	1/:					39,000
Greene	1/:					23,500
Jackson	:	0		0		5,450
Jefferson	:	64,350		65,950		63,200
Lafayette	1/:					4,850
Lee	1/:					58,200
Lincoln	1/:					64,150
Lonoke	:	48,600		49,650		45,600
Miller	:	0		0		1,250
Mississippi	:	276,150		282,150		277,000
Monroe	1/:					19,600
Phillips	:	143,050		145,750		125,650
Poinsett	:	79,800		81,200		61,800
Prairie	:	0		0		1,050
Pulaski	:	0		0		900
Saint Francis	:	39,550		39,850		26,200
Woodruff	1/:					5,150
	:		:		:	
Arkansas	:	1,406,300		1,426,500		1,404,250
	:		:		:	
Butte	1/:	0		0		
Colusa	1/:					31,950
Fresno	:	855,950		891,600		775,300
Glenn	1/:	0		0		
Imperial	1/:					28,950
Kern	:	443,850		461,600		519,150
Kings	:	514,150		533,200		548,200
Madera	1/:					76,650
Merced	:	185,300		191,800		202,200
Riverside	1/:					46,650
San Bernardino	1/:	0		0		
Sutter	1/:					
Tulare	:	282,850		290,050		219,450
Yolo	:	0		0		6,100
	:		:		:	
California	:	2,492,250		2,585,800		2,463,150
	:		:		:	
Calhoun	:	0		0		9,800
Columbia	1/:	0		0		

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced

Escambia	1/:					15,750
Gadsden	:	0		0		850
Hamilton	:	0		0		1,200
Holmes	1/:	0		0		
Jackson	1/:					20,750
Jefferson	:	0		0		650
Madison	1/:	0		0		
Okaloosa	:	0		0		6,100
Santa Rosa	1/:					43,100
Suwannee	:	0		0		1,150
Walton	:	0		0		2,100
Washington	:	0		0		700
Other	2/:					750

Florida	1/:					103,250

Appling	1/:					44,650
Atkinson	:	0		0		14,850
Bacon	:	0		0		20,200
Baker	:	0		0		31,950
Bartow	1/:					2,750
Ben Hill	:	0		0		10,900
Berrien	1/:					33,850
Bleckley	1/:					18,550
Blinch	1/:	0		0		
Brantley	1/:	0		0		
Brooks	1/:					48,650
Bryan	:	0		0		400
Bulloch	1/:					44,700
Burke	:	81,100		84,000		50,700
Calhoun	1/:					29,650
Candler	1/:					17,050
Chattooga	1/:	0		0		
Clay	:	0		0		6,300
Coffee	1/:					51,100
Colquitt	:	195,950		201,950		73,400
Cook	:	0		0		31,300
Crawford	:	0		0		600
Crisp	1/:					30,050
Decatur	1/:					65,750
Dodge	1/:					18,500

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Dooly	:	119,450	:	123,200	:	82,350
Dougherty	:	0	:	0	:	10,100
Early	1/:		:		:	49,500
Effingham	:	0	:	0	:	1,850
Elbert	:	0	:	0	:	1,800
Emanuel	:	0	:	0	:	23,900
Evans	:	0	:	0	:	4,950
Floyd	:	0	:	0	:	3,050
Glascock	:	0	:	0	:	450
Grady	:	0	:	0	:	37,100
Gwinnett	1/:	0	:	0	:	
Hart	1/:	0	:	0	:	
Henry	1/:	0	:	0	:	
Houston	:	0	:	0	:	12,650
Irwin	1/:		:		:	30,250
Jeff Davis	1/:		:		:	32,250
Jefferson	1/:		:		:	16,050
Jenkins	:	0	:	0	:	19,850
Johnson	:	0	:	0	:	4,100
Lamar	:	0	:	0	:	1,600
Lanier	:	0	:	0	:	7,300
Laurens	1/:		:		:	7,500
Lee	1/:		:		:	31,400
Long	:	0	:	0	:	300
Lowndes	1/:		:		:	10,200
Macon	:	0	:	0	:	19,350
Madison	1/:	0	:	0	:	
Marion	1/:	0	:	0	:	
McDuffie	:	0	:	0	:	650
Miller	1/:		:		:	41,400
Mitchell	1/:		:		:	67,850
Montgomery	:	0	:	0	:	2,700
Morgan	1/:		:		:	500
Oconee	1/:	0	:	0	:	
Peach	:	0	:	0	:	2,650
Pierce	:	0	:	0	:	18,850
Polk	:	0	:	0	:	1,750
Pulaski	1/:		:		:	35,850
Quitman	:	0	:	0	:	1,050
Randolph	1/:		:		:	14,450
Richmond	1/:	0	:	0	:	

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Schley	:	0	:	0	:	350
Screven	1/:		:		:	26,050
Seminole	1/:		:		:	39,600
Stewart	:	0	:	0	:	3,950
Sumter	1/:		:		:	30,400
Tattnall	:	0	:	0	:	10,300
Taylor	1/:		:		:	1,600
Telfair	:	0	:	0	:	6,750
Terrell	1/:		:		:	19,100
Thomas	1/:		:		:	33,500
Tift	1/:		:		:	26,050
Toombs	:	0	:	0	:	7,800
Treutlen	:	0	:	0	:	4,000
Turner	1/:		:		:	31,600
Twiggs	:	0	:	0	:	3,250
Walton	1/:	0	:	0	:	
Ware	:	0	:	0	:	6,650
Warren	1/:	0	:	0	:	
Washington	:	0	:	0	:	4,000
Wayne	:	0	:	0	:	17,150
Webster	:	0	:	0	:	2,100
Wheeler	:	0	:	0	:	1,700
Wilcox	1/:		:		:	24,650
Worth	1/:		:		:	71,400
	:		:		:	
Georgia	:	1,621,700	:	1,669,000	:	1,615,250
	:		:		:	
Kansas	1/:		:		:	22,000
	:		:		:	
Avoyelles	1/:		:		:	28,350
Bienville	1/:	0	:	0	:	
Bossier	:	0	:	0	:	750
Caddo	:	26,800	:	27,900	:	21,650
Caldwell	:	0	:	0	:	6,400
Catahoula	:	76,700	:	77,800	:	84,400
Claiborne	1/:	0	:	0	:	
Concordia	:	71,500	:	73,150	:	80,250
Desoto	:	0	:	0	:	1,050
East Carroll	:	99,950	:	100,400	:	63,100
East Felicia	:	0	:	0	:	400

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Evangeline	0	0	300
Franklin	138,450	140,950	106,100
Grant	0	0	4,350
Lasalle	0	0	1,050
Madison 1/:			86,600
Morehouse	96,750	98,650	78,000
Natchitoches	0	0	10,000
Ouachita 1/:			16,200
Pointe Coupe 1/:			25,900
Rapides	54,800	55,100	40,900
Red River 1/:			9,250
Richland	72,100	72,550	52,950
Saint Landry	0	0	13,350
Tensas	113,550	116,350	133,500
Webster 1/:	0	0	
West Carroll 1/:			32,750
Louisiana	923,250	936,150	897,900
Adams	0	0	6,850
Alcorn	0	0	1,450
Attala	0	0	6,100
Benton 1/:			3,000
Bolivar	124,600	126,350	118,400
Calhoun	24,050	24,500	26,150
Carroll 1/:			21,650
Chickasaw 1/:			5,450
Choctaw	0	0	750
Claiborne	0	0	4,850
Clay	0	0	3,400
Coahoma	132,550	133,150	123,950
Copiah	0	0	2,800
Covington	0	0	350
Desoto 1/:			16,050
George	0	0	3,500
Greene	0	0	400
Grenada 1/:			9,200
Hinds 1/:			19,200
Holmes	108,050	109,350	109,400
Humphreys	97,350	98,100	121,100
Issaquena 1/:			28,600

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Itawamba	0	0	300
Jackson	0	0	1,850
Jefferson 1/:			8,300
Jones 1/:	0	0	
Lafayette 1/:			6,500
Lamar 1/:	0	0	
Leake	0	0	700
Lee 1/:			22,750
Leflore	151,150	156,200	134,250
Lowndes	0	0	3,000
Madison 1/:			25,000
Marshall	0	0	750
Monroe 1/:			9,300
Montgomery 1/:			11,200
Newton	0	0	600
Noxubee	0	0	5,600
Oktibbeha	0	0	1,000
Panola	36,250	37,150	38,600
Pike	0	0	2,350
Pontotoc 1/:			4,000
Prentiss	0	0	600
Quitman	59,650	60,250	42,900
Rankin 1/:			4,300
Scott	0	0	2,200
Sharkey 1/:			97,150
Sunflower	118,000	119,600	106,200
Tallahatchie	82,050	83,800	97,150
Tate 1/:			11,300
Tippah 1/:			1,500
Tishomingo	0	0	2,000
Tunica	53,750	54,600	67,700
Union	0	0	850
Warren 1/:			22,500
Washington	152,300	155,750	148,650
Webster 1/:			14,000
Yalobusha 1/:			35,250
Yazoo	189,950	193,500	116,850
Other 2/:			450
Mississippi	1,676,600	1,706,800	1,680,500

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Butler	1/:	0	:	0	:	
Dade	:	0	:	0	:	300
Dunklin	:	190,950	:	195,300	:	189,950
Mississippi	1/:	0	:	0	:	
New Madrid	:	149,150	:	153,700	:	144,000
Pemiscot	:	100,900	:	103,000	:	115,650
Scott	1/:		:		:	14,850
Stoddard	1/:		:		:	61,750
	:		:		:	
Missouri	:	502,600	:	514,650	:	526,950
	:		:		:	
Chaves	1/:		:		:	7,550
Curry	:	0	:	0	:	9,100
Dona Ana	:	36,050	:	36,650	:	33,750
Eddy	1/:		:		:	13,700
Lea	:	0	:	0	:	18,850
Luna	1/:		:		:	9,900
Quay	1/:	0	:	0	:	
Roosevelt	:	0	:	0	:	9,100
Sierra	1/:	0	:	0	:	
	:		:		:	
New Mexico	:	64,150	:	65,300	:	103,250
	:		:		:	
Anson	1/:		:		:	11,750
Beaufort	1/:		:		:	36,600
Bertie	1/:		:		:	54,300
Bladen	:	0	:	0	:	15,750
Brunswick	:	0	:	0	:	950
Cabarrus	:	0	:	0	:	750
Camden	:	0	:	0	:	1,400
Carteret	:	0	:	0	:	4,100
Catawba	1/:	0	:	0	:	
Chatham	:	0	:	0	:	700
Chowan	:	0	:	0	:	33,350
Cleveland	1/:		:		:	3,000
Columbus	1/:		:		:	7,200
Craven	1/:		:		:	30,350
Cumberland	:	0	:	0	:	17,700
Currituck	:	0	:	0	:	1,100
Davidson	1/:	0	:	0	:	
Duplin	1/:		:		:	31,950

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:					
Edgecombe	1/:					72,750
Gates	1/:					26,800
Greene	1/:					43,600
Halifax	:	95,000		98,350		86,500
Harnett	1/:					26,550
Hertford	1/:					27,500
Hoke	1/:					30,800
Hyde	1/:					44,350
Iredell	:	0		0		1,750
Johnston	:	0		0		27,700
Jones	1/:					47,600
Lee	:	0		0		5,650
Lenoir	1/:					52,500
Lincoln	1/:	0		0		
Martin	1/:					73,500
Montgomery	:	0		0		1,450
Moore	:	0		0		2,300
Nash	1/:					44,650
Northampton	:	93,550		97,100		90,950
Onslow	:	0		0		10,750
Pamlico	:	0		0		7,400
Pasquotank	:	0		0		4,850
Pender	:	0		0		3,250
Perquimans	1/:					32,100
Pitt	1/:					66,000
Richmond	:	0		0		800
Robeson	:	70,200		75,050		43,800
Rowan	:	0		0		1,000
Rutherford	1/:					
Sampson	:	120,450		124,050		80,950
Scotland	1/:					31,750
Stanly	1/:					22,750
Tyrrell	:	0		0		4,650
Union	:	0		0		12,950
Wake	1/:	0		0		
Warren	:	0		0		400
Washington	:	0		0		16,900
Wayne	1/:					40,700
Wilson	1/:					45,300
	:					
North Carolina	:	1,407,550		1,452,400		1,384,800

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Alfalfa	:	0	:	0	:	1,250
Beckham	1/:		:		:	2,200
Bryan	1/:		:		:	0
Caddo	:	1,450	:	1,450	:	1,350
Canadian	:	0	:	0	:	550
Comanche	1/:	0	:	0	:	
Cotton	1/:	0	:	0	:	
Custer	1/:		:		:	1,550
Garfield	1/:	0	:	0	:	
Garvin	1/:	0	:	0	:	
Grady	1/:		:		:	
Grant	:	0	:	0	:	4,500
Greer	1/:		:		:	3,550
Harmon	:	21,600	:	22,050	:	25,600
Jackson	:	96,900	:	97,400	:	87,850
Kay	1/:		:		:	3,650
Kiowa	:	1,900	:	1,950	:	1,700
Logan	1/:	0	:	0	:	
Mcclain	1/:		:		:	950
Noble	:	0	:	0	:	300
Oklahoma	1/:	0	:	0	:	
Roger Mills	:	0	:	0	:	700
Tillman	1/:		:		:	6,200
Washita	:	3,450	:	3,650	:	5,000
Woods	:	0	:	0	:	1,600
Other	2/:		:		:	350
	:		:		:	
Oklahoma	:	146,050	:	147,750	:	149,700
	:		:		:	
Abbeville	1/:	0	:	0	:	
Aiken	1/:		:		:	3,700
Allendale	1/:		:		:	5,800
Anderson	:	0	:	0	:	350
Bamberg	:	0	:	0	:	10,050
Barnwell	1/:		:		:	5,450
Berkeley	:	0	:	0	:	500
Calhoun	:	58,400	:	59,750	:	34,100
Cherokee	1/:	0	:	0	:	
Chester	:	0	:	0	:	850
Chesterfield	:	0	:	0	:	900
Clarendon	1/:		:		:	10,000

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Colleton	:	0	:	0	:	1,250
Darlington	1/:		:		:	47,000
Dillon	1/:		:		:	27,050
Dorchester	:	0	:	0	:	7,850
Edgefield	:	0	:	0	:	350
Fairfield	1/:	0	:	0	:	
Florence	:	0	:	0	:	18,500
Georgetown	:	0	:	0	:	2,200
Hampton	1/:		:		:	17,300
Horry	:	0	:	0	:	1,150
Jasper	:	0	:	0	:	550
Kershaw	1/:	0	:	0	:	
Lancaster	1/:	0	:	0	:	
Lee	:	38,000	:	38,700	:	29,700
Lexington	:	0	:	0	:	1,500
Marion	:	0	:	0	:	5,450
Marlboro	:	46,050	:	47,900	:	44,900
Newberry	:	0	:	0	:	1,000
Orangeburg	:	49,400	:	49,950	:	40,500
Richland	:	0	:	0	:	450
Saluda	1/:		:		:	1,500
Sumter	:	24,900	:	25,550	:	12,050
Williamsburg	1/:		:		:	33,100
York	1/:		:		:	3,650
	:		:		:	
South Carolina	:	357,900	:	366,700	:	369,350
	:		:		:	
Benton	1/:	0	:	0	:	
Carroll	1/:		:		:	20,700
Chester	:	0	:	0	:	1,800
Coffee	1/:	0	:	0	:	
Crockett	:	121,800	:	123,850	:	97,950
Dyer	:	0	:	0	:	41,650
Fayette	1/:		:		:	56,450
Franklin	:	0	:	0	:	7,350
Gibson	:	48,850	:	50,100	:	38,600
Giles	:	0	:	0	:	2,400
Grundy	1/:	0	:	0	:	
Hardeman	1/:		:		:	17,700
Hardin	:	0	:	0	:	1,450
Haywood	:	189,700	:	193,750	:	133,250

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Henderson	:	0	:	0	:	4,500
Lake	1/:		:		:	15,900
Lauderdale	:	57,500	:	59,200	:	68,700
Lincoln	1/:		:		:	10,150
Madison	1/:		:		:	57,650
McNairy	:	0	:	0	:	1,300
Obion	:	0	:	0	:	5,450
Rutherford	:	0	:	0	:	4,450
Shelby	:	0	:	0	:	22,550
Tipton	:	101,050	:	105,050	:	80,150
Weakley	:	0	:	0	:	450
Other	2/:		:		:	700
	:		:		:	
Tennessee	:	691,350	:	708,500	:	691,400
	:		:		:	
Anderson	:	0	:	0	:	650
Andrews	:	0	:	0	:	10,200
Atascosa	1/:	0	:	0	:	
Austin	:	0	:	0	:	6,000
Bailey	:	74,450	:	76,250	:	45,900
Bastrop	:	0	:	0	:	350
Baylor	:	0	:	0	:	900
Bee	:	0	:	0	:	9,800
Bell	:	0	:	0	:	2,000
Borden	1/:		:		:	4,900
Brazoria	:	20,600	:	21,550	:	12,600
Brazos	1/:		:		:	9,850
Briscoe	:	29,600	:	30,750	:	20,600
Brooks	1/:	0	:	0	:	
Brown	1/:	0	:	0	:	
Burleson	1/:		:		:	19,950
Caldwell	1/:		:		:	2,250
Calhoun	1/:		:		:	37,850
Callahan	1/:	0	:	0	:	
Cameron	:	56,450	:	58,400	:	63,050
Castro	:	87,100	:	89,150	:	122,400
Childress	1/:		:		:	7,550
Clay	:	0	:	0	:	3,900
Cochran	1/:		:		:	56,550
Coke	1/:		:		:	
Collin	1/:		:		:	2,300

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Collingsworth 1/:			11,850
Colorado :	0	0	2,800
Concho 1/:			800
Cottle 1/:			1,250
Crosby :	156,050	161,000	139,700
Culberson 1/:			0
Dawson :	61,250	63,250	75,750
De Witt :	0	0	700
Deaf Smith 1/:			36,800
Delta :	0	0	300
Dickens 1/:			8,450
Dimmit 1/:	0	0	
Donley 1/:			12,900
El Paso 1/:			48,550
Ellis :	17,350	17,850	19,300
Falls 1/:			4,150
Fisher 1/:			3,250
Floyd :	136,000	141,000	151,300
Foard :	0	0	350
Fort Bend :	56,600	58,000	62,250
Gaines :	180,450	185,200	150,700
Garza 1/:			17,000
Glasscock 1/:			29,900
Goliad :	0	0	1,700
Gray :	0	0	350
Guadalupe 1/:			0
Hale :	310,250	319,750	316,200
Hall 1/:			20,900
Hardeman 1/:			4,200
Hartley :	0	0	550
Haskell 1/:			17,850
Hays 1/:	0	0	
Hidalgo :	80,050	80,800	88,450
Hill 1/:			11,200
Hockley :	161,600	166,750	120,150
Houston 1/:			300
Howard 1/:			5,650
Hudspeth :	0	0	23,600
Hunt 1/:			900
Jackson 1/:			39,700
Jim Wells :	0	0	15,700

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Johnson	1/:	0	:	0	:	
Jones	:	1,100	:	1,150	:	1,050
Karnes	:	0	:	0	:	1,300
Kent	1/:		:		:	
Kinney	:	0	:	0	:	600
Kleberg	1/:		:		:	97,700
Knox	1/:		:		:	26,950
Lamar	1/:		:		:	950
Lamb	:	236,000	:	245,650	:	189,200
Limestone	:	0	:	0	:	1,550
Live Oak	:	0	:	0	:	450
Lubbock	:	205,950	:	212,150	:	151,750
Lynn	:	130,650	:	135,100	:	129,350
Madison	1/:	0	:	0	:	
Martin	:	34,200	:	35,450	:	18,350
Mason	:	0	:	0	:	650
Matagorda	1/:		:		:	55,650
Mcculloch	1/:	0	:	0	:	
Mclennan	1/:		:		:	7,050
Medina	1/:		:		:	2,950
Midland	1/:		:		:	12,650
Milam	1/:		:		:	10,000
Mitchell	:	4,050	:	4,150	:	4,400
Moore	1/:	0	:	0	:	
Motley	1/:		:		:	4,000
Navarro	1/:		:		:	11,950
Nolan	1/:		:		:	9,250
Nueces	:	154,500	:	159,900	:	169,100
Parmer	:	127,650	:	132,450	:	141,150
Pecos	1/:		:		:	11,100
Potter	1/:	0	:	0	:	
Randall	:	0	:	0	:	800
Reagan	:	0	:	0	:	14,950
Red River	:	0	:	0	:	3,200
Reeves	1/:		:		:	6,100
Refugio	1/:		:		:	45,650
Robertson	:	22,050	:	22,550	:	18,650
Rockwall	1/:	0	:	0	:	
Runnels	:	1,950	:	2,000	:	1,300
San Patricio	:	250,600	:	257,400	:	183,350
Schleicher	1/:	0	:	0	:	

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
:			
Scurry	10,550	10,600	7,600
Starr	0	0	300
Swisher	73,100	75,400	85,100
Terry	133,650	137,600	147,500
Tom Green	9,950	10,450	10,500
Travis	0	0	2,750
Upton 1/:			4,850
Uvalde	0	0	3,750
Victoria	0	0	30,550
Walker 1/:			650
Ward 1/:	0	0	
Wharton	163,900	167,300	80,500
Wheeler	0	0	2,000
Wichita 1/:	0	0	
Wilbarger	1,250	1,300	600
Willacy	136,200	139,650	120,700
Williamson	26,750	27,350	23,900
Wilson	0	0	650
Yoakum	78,800	80,200	57,950
Zavala 1/:			3,350
Other 2/:			57,650
:			
Texas	3,900,850	4,009,450	3,861,550
:			
Accomack 1/:			1,200
Amelia 1/:	0	0	
Brunswick 1/:	0	0	
Charles City	0	0	2,300
Chesapeake 1/:	0	0	
Dinwiddie	0	0	6,600
Greensville 1/:			14,100
Isle of Wigh 1/:			17,100
King William 1/:	0	0	
King and Que 1/:	0	0	
New Kent 1/:	0	0	
Northampton	0	0	4,350
Prince Georg 1/:	0	0	
Southampton	0	0	62,000
Suffolk City 1/:			30,550
Surry	0	0	7,000
Sussex 1/:			12,100

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2000 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Other	2/					150
Virginia		146,800		149,850		162,100
US TOTAL		16,741,850		17,179,500		16,741,850

1/ Withheld to avoid disclosing individual gins, but included in State and U. S. totals.

2/ County of origin was not determined.

Note: Counties may not add to State total due to rounding.

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Autauga	1	482.3	358
Baldwin	1	495.1	206
Barbour	0	0.0	326
Bibb	0	0.0	579
Blount	1	482.3	417
Bullock	0	0.0	493
Butler	0	0.0	386
Calhoun	0	0.0	412
Cherokee	2	485.2	192
Chilton	1	488.0	486
Choctaw	0	0.0	398
Clarke	0	0.0	542
Clay	0	0.0	438
Coffee	1	498.1	332
Colbert	2	485.9	131
Conecuh	0	0.0	356
Covington	1	501.7	227
Crenshaw	1	486.0	406
Cullman	0	0.0	379
Dale	0	0.0	383
Dallas	2	493.6	248
Dekalb	0	0.0	506
Elmore	3	495.8	252
Escambia	1	501.0	158
Etowah	0	0.0	376
Fayette	1	496.6	439
Franklin	0	0.0	416
Geneva	1	485.6	317
Greene	1	480.0	553
Hale	0	0.0	450
Henry	2	485.6	305
Houston	1	493.1	262
Jackson	0	0.0	360
Lamar	0	0.0	487
Lauderdale	2	493.1	161
Lawrence	4	498.5	109
Lee	0	0.0	394

See footnote at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Limestone	6	504.9	61
Lowndes	1	503.3	320
Macon	0	0.0	385
Madison	3	499.3	66
Marengo	1	489.8	347
Marshall	0	0.0	522
Mobile	1	506.5	228
Monroe	1	494.6	178
Montgomery	0	0.0	480
Morgan	0	0.0	464
Perry	0	0.0	399
Pike	0	0.0	351
Russell	2	491.2	373
Shelby	0	0.0	337
Talladega	0	0.0	271
Tallapoosa	1	497.1	424
Tuscaloosa	1	502.8	346
Washington	0	0.0	472
Wilcox	0	0.0	434
Alabama	46	496.9	
Cochise	1	483.0	349
Graham	4	499.5	83
La Paz	2	492.5	91
Maricopa	17	483.0	7
Mohave	2	493.3	270
Pima	3	494.1	157
Pinal	18	493.0	5
Yuma	4	492.2	59
Arizona	51	489.7	
Arkansas	0	0.0	481
Ashley	6	483.2	44
Chicot	2	480.0	85
Clay	3	484.5	114
Craighead	8	474.3	13
Crittenden	5	488.0	118
Cross	1	515.0	407

See footnote at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Desha	6	487.0	14
Drew	1	477.3	123
Greene	3	481.1	183
Jackson	0	0.0	310
Jefferson	9	491.8	73
Lafayette	1	500.0	322
Lee	1	505.9	80
Lincoln	1	500.0	72
Lonoke	8	490.5	102
Miller	0	0.0	444
Mississippi	11	490.4	6
Monroe	2	479.0	198
Phillips	7	489.1	28
Poinsett	6	488.4	78
Prairie	0	0.0	455
Pulaski	0	0.0	468
Saint Francis	4	483.9	171
Woodruff	1	497.3	316
Arkansas	86	486.9	
Butte	0	0.0	592
Colusa	1	504.2	142
Fresno	29	500.0	1
Glenn	0	0.0	363
Imperial	1	490.0	162
Kern	17	499.2	3
Kings	15	497.8	2
Madera	3	504.3	58
Merced	5	496.9	9
Riverside	2	490.3	99
San Bernardi	0	0.0	402
Sutter	2	500.0	368
Tulare	8	492.2	8
Yolo	0	0.0	300
California	83	498.0	
Calhoun	0	0.0	268
Columbia	0	0.0	580
Escambia	1	450.0	224

See footnote at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Gadsen	0	0.0	473
Hamilton	0	0.0	448
Holmes	0	0.0	571
Jackson	1	498.0	191
Jefferson	0	0.0	494
Madison	0	0.0	593
Okaloosa	0	0.0	301
Santa Rosa	2	496.0	112
Suwannee	0	0.0	451
Walton	0	0.0	400
Washington	0	0.0	488
Florida	4	490.7	
Appling	2	492.9	106
Atkinson	0	0.0	230
Bacon	0	0.0	195
Baker	0	0.0	143
Bartow	1	479.9	380
Ben Hill	0	0.0	253
Berrien	2	492.5	134
Bleckley	1	494.0	207
Blinch	0	0.0	557
Brantley	0	0.0	572
Brooks	2	502.7	95
Bryan	0	0.0	518
Bulloch	2	498.3	105
Burke	4	497.3	93
Calhoun	2	491.7	160
Candler	2	495.0	217
Chattooga	0	0.0	543
Clay	0	0.0	298
Coffee	2	491.5	92
Colquitt	7	494.7	63
Cook	0	0.0	148
Crawford	0	0.0	501
Crisp	2	494.2	155
Decatur	2	488.3	71
Dodge	1	489.9	208
Dooly	7	495.0	52
Dougherty	0	0.0	260

See footnote at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Early	1	491.8	94
Effingham	0	0.0	408
Elbert	0	0.0	410
Emanuel	0	0.0	180
Evans	0	0.0	319
Floyd	0	0.0	369
Glascock	0	0.0	514
Grady	0	0.0	127
Gwinnett	0	0.0	581
Hart	0	0.0	582
Henry	0	0.0	544
Houston	0	0.0	239
Irwin	2	495.0	154
Jeff Davis	1	501.4	140
Jefferson	2	502.1	221
Jenkins	0	0.0	197
Johnson	0	0.0	340
Lamar	0	0.0	421
Lanier	0	0.0	288
Laurens	2	491.0	285
Lee	1	485.2	147
Long	0	0.0	532
Lowndes	1	496.8	257
Macon	0	0.0	199
Madison	0	0.0	555
Marion	0	0.0	545
McDuffie	0	0.0	495
Miller	1	493.1	116
Mitchell	1	485.0	68
Montgomery	0	0.0	382
Morgan	1	490.0	511
Oconee	0	0.0	594
Peach	0	0.0	384
Pierce	0	0.0	203
Polk	0	0.0	413
Pulaski	2	490.1	130
Quitman	0	0.0	456
Randolph	1	501.4	232
Richmond	0	0.0	556

See footnote at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Schley	0	0.0	523
Screven	1	522.2	173
Seminole	1	498.0	122
Stewart	0	0.0	348
Sumter	2	476.5	152
Tattnall	0	0.0	256
Taylor	1	484.4	422
Telfair	0	0.0	293
Terrell	1	494.2	202
Thomas	2	491.3	136
Tift	2	485.3	174
Toombs	0	0.0	281
Treutlen	0	0.0	342
Turner	2	502.3	146
Twiggs	0	0.0	364
Walton	0	0.0	554
Ware	0	0.0	294
Warren	0	0.0	595
Washington	0	0.0	343
Wayne	0	0.0	215
Webster	0	0.0	401
Wheeler	0	0.0	418
Wilcox	1	495.0	179
Worth	1	486.3	65
Georgia	69	494.0	

See footnote at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000 (continued)

County and State	:	Number of Active Gins	:	Average Weight per Running Bale Ginned	:	Rank by Running Bales Produced
	:	Number	:	Pounds	:	Rank
Kansas	1/	2	:	484.9	:	
Avoyelles	:	1	:	488.8	:	164
Bienville	:	0	:	0.0	:	558
Bossier	:	0	:	0.0	:	482
Caddo	:	5	:	499.3	:	188
Caldwell	:	0	:	0.0	:	297
Catahoula	:	4	:	487.0	:	51
Claiborne	:	0	:	0.0	:	601
Concordia	:	3	:	491.0	:	55
Desoto	:	0	:	0.0	:	458
East Carroll	:	6	:	482.2	:	74
East Felicia	:	0	:	0.0	:	519
Evangeline	:	0	:	0.0	:	534
Franklin	:	10	:	488.7	:	39
Grant	:	0	:	0.0	:	333
Lasalle	:	0	:	0.0	:	459
Madison	:	1	:	458.4	:	48
Morehouse	:	5	:	489.5	:	57
Natchitoches	:	0	:	0.0	:	263
Ouachita	:	1	:	481.0	:	220
Pointe Coupe	:	1	:	488.8	:	175
Rapides	:	4	:	482.7	:	117
Red River	:	1	:	490.5	:	273
Richland	:	7	:	482.9	:	89
Saint Landry	:	0	:	0.0	:	236
Tensas	:	7	:	491.8	:	25
Webster	:	0	:	0.0	:	600
West Carroll	:	2	:	493.0	:	139
Louisiana	:	58	:	486.7	:	

See footnote at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Adams	0	0.0	292
Alcorn	0	0.0	431
Attala	0	0.0	302
Benton	1	498.5	370
Bolivar	8	486.8	34
Calhoun	3	488.6	172
Carroll	2	485.9	189
Chickasaw	1	492.2	311
Choctaw	0	0.0	484
Claiborne	0	0.0	323
Clay	0	0.0	361
Coahoma	7	482.1	29
Copiah	0	0.0	377
Covington	0	0.0	526
Desoto	2	491.8	222
George	0	0.0	359
Greene	0	0.0	520
Grenada	1	480.0	275
Hinds	2	491.9	201
Holmes	4	485.7	37
Humphreys	4	483.8	31
Issaquena	1	480.0	163
Itawamba	0	0.0	535
Jackson	0	0.0	409
Jefferson	1	492.9	279
Jones	0	0.0	602
Lafayette	1	481.0	296
Lamar	0	0.0	547
Leake	0	0.0	489
Lee	1	487.0	184
Leflore	9	496.0	24
Lowndes	0	0.0	371
Madison	2	483.6	177
Marshall	0	0.0	483
Monroe	2	505.4	272
Montgomery	1	494.7	249
Newton	0	0.0	503
Noxubee	0	0.0	309

See footnote at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Oktibbeha	0	0.0	461
Panola	3	491.9	124
Pike	0	0.0	389
Pontotoc	1	480.0	344
Prentiss	0	0.0	502
Quitman	4	484.9	113
Rankin	2	497.6	335
Scott	0	0.0	395
Sharkey	5	488.9	43
Sunflower	6	486.6	38
Tallahatchie	7	490.2	42
Tate	1	480.0	247
Tippah	1	502.0	428
Tishomingo	0	0.0	403
Tunica	5	487.6	69
Union	0	0.0	474
Warren	1	484.6	187
Washington	11	490.9	19
Webster	1	485.0	234
Yalobusha	1	496.0	132
Yazoo	7	489.0	35
Mississippi	109	488.7	
Butler	0	0.0	548
Dade	0	0.0	536
Dunklin	12	490.9	10
Mississippi	0	0.0	559
New Madrid	9	494.6	21
Pemiscot	9	490.0	36
Scott	3	493.7	231
Stoddard	2	484.7	79
Missouri	35	491.5	
Chaves	2	498.4	283
Curry	0	0.0	276
Dona Ana	8	487.7	135
Eddy	2	488.6	235
Lea	0	0.0	204

See footnote at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Luna	1	480.9	266
Quay	0	0.0	452
Roosevelt	0	0.0	277
Sierra	0	0.0	574
New Mexico	13	488.3	
Anson	1	479.0	246
Beaufort	1	483.4	129
Bertie	2	491.7	88
Bladen	0	0.0	225
Brunswick	0	0.0	465
Cabarrus	0	0.0	485
Camden	0	0.0	435
Carteret	0	0.0	341
Catawba	0	0.0	603
Chatham	0	0.0	490
Chowan	0	0.0	137
Cleveland	3	496.5	372
Columbus	1	488.9	289
Craven	1	489.0	153
Cumberland	0	0.0	212
Currituck	0	0.0	454
Davidson	0	0.0	575
Duplin	1	489.5	144
Edgecombe	2	496.8	64
Gates	1	490.3	169
Greene	1	490.0	111
Halifax	4	496.9	49
Harnett	1	497.1	170
Hertford	1	484.3	166
Hoke	1	510.8	149
Hyde	1	485.4	108
Iredell	0	0.0	414
Johnston	0	0.0	165
Jones	1	487.5	97
Lee	0	0.0	307
Lenoir	2	496.8	90
Lincoln	0	0.0	587
Martin	1	495.9	62
Montgomery	0	0.0	432

See footnote at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Moore	0	0.0	390
Nash	1	488.1	107
Northampton	6	498.1	45
Onslow	0	0.0	254
Pamlico	0	0.0	286
Pasquotank	0	0.0	324
Pender	0	0.0	365
Perquimans	1	494.7	141
Pitt	2	498.9	70
Richmond	0	0.0	476
Robeson	3	513.0	110
Rowan	0	0.0	462
Rutherford	1	432.3	549
Sampson	3	494.4	53
Scotland	2	501.3	145
Stanly	1	500.8	185
Tyrrell	0	0.0	327
Union	0	0.0	237
Wake	0	0.0	550
Warren	0	0.0	521
Washington	0	0.0	219
Wayne	1	488.6	119
Wilson	1	506.9	103
North Carolina	48	495.3	
Alfalpa	0	0.0	445
Beckham	4	499.3	396
Bryan	1	480.0	
Caddo	3	485.2	437
Canadian	0	0.0	507
Comanche	0	0.0	604
Cotton	0	0.0	605
Custer	2	499.4	426
Garfield	0	0.0	588
Garvin	0	0.0	561
Grady	1	475.0	551
Grant	0	0.0	328
Greer	2	501.0	357
Harmon	3	489.7	176
Jackson	4	482.5	47

See footnote at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Kay	1	493.0	354
Kiowa	3	487.1	419
Logan	0	0.0	606
Mcclain	1	458.7	466
Noble	0	0.0	537
Oklahoma	0	0.0	560
Roger Mills	0	0.0	491
Tillman	3	482.8	299
Washita	4	507.9	318
Woods	0	0.0	423
Oklahoma	32	485.6	
Abbeville	0	0.0	589
Aiken	1	482.0	353
Allendale	1	477.5	306
Anderson	0	0.0	527
Bamberg	0	0.0	261
Barnwell	1	488.1	313
Berkeley	0	0.0	512
Calhoun	3	490.9	133
Cherokee	0	0.0	607
Chester	0	0.0	475
Chesterfield	0	0.0	469
Clarendon	2	486.2	264
Colleton	0	0.0	446
Darlington	2	485.0	98
Dillon	2	489.9	167
Dorchester	0	0.0	280
Edgefield	0	0.0	528
Fairfield	0	0.0	608
Florence	0	0.0	209
Georgetown	0	0.0	397
Hampton	1	495.7	214
Horry	0	0.0	453
Jasper	0	0.0	508
Kershaw	0	0.0	562
Lancaster	0	0.0	563
Lee	5	489.1	159
Lexington	0	0.0	430

See footnote at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Marion	0	0.0	312
Marlboro	4	499.1	104
Newberry	0	0.0	463
Orangeburg	5	485.4	120
Richland	0	0.0	515
Saluda	1	506.3	429
Sumter	4	492.9	243
Williamsburg	1	509.3	138
York	1	490.7	355
South Carolina	34	491.8	
Benton	0	0.0	609
Carroll	1	483.4	193
Chester	0	0.0	411
Coffee	0	0.0	610
Crockett	7	488.1	40
Dyer	0	0.0	115
Fayette	2	498.9	86
Franklin	0	0.0	287
Gibson	4	492.1	125
Giles	0	0.0	388
Grundy	0	0.0	611
Hardeman	2	491.9	213
Hardin	0	0.0	433
Haywood	9	490.3	26
Henderson	0	0.0	329
Lake	1	491.9	223
Lauderdale	3	494.2	67
Lincoln	1	485.0	259
Madison	2	488.4	82
McNairy	0	0.0	441
Obion	0	0.0	314
Rutherford	0	0.0	330
Shelby	0	0.0	186
Tipton	4	499.0	56
Weakley	0	0.0	516
Tennessee	36	491.9	

See footnote at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Anderson	0	0.0	496
Andrews	0	0.0	258
Atascosa	0	0.0	552
Austin	0	0.0	304
Bailey	6	491.7	100
Bastrop	0	0.0	531
Baylor	0	0.0	470
Bee	0	0.0	269
Bell	0	0.0	405
Borden	1	480.0	321
Brazoria	3	501.8	241
Brazos	2	485.5	267
Briscoe	3	498.4	194
Brooks	0	0.0	570
Brown	0	0.0	613
Burleson	1	481.7	196
Caldwell	1	496.0	393
Calhoun	1	493.6	126
Callahan	0	0.0	614
Cameron	7	496.4	75
Castro	5	491.2	30
Childress	1	500.0	284
Clay	0	0.0	350
Cochran	2	491.6	84
Coke	1	484.5	568
Collin	1	480.0	391
Collingswort	2	497.3	245
Colorado	0	0.0	378
Concho	1	480.0	478
Cottle	1	492.2	447
Crosby	7	495.3	23
Culberson	1	480.0	480
Dawson	11	495.8	60
De Witt	0	0.0	492
Deaf Smith	1	489.1	128
Delta	0	0.0	538
Dickens	1	487.4	278
Dimmit	0	0.0	578
Donley	1	490.0	238
El Paso	6	493.9	96
Ellis	3	494.3	200

See footnote at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Falls	2	489.5	339
Fisher	1	485.7	366
Floyd	10	497.7	17
Foard	0	0.0	530
Fort Bend	6	491.9	76
Gaines	10	492.7	18
Garza	2	493.5	218
Glasscock	2	497.0	156
Goliad	0	0.0	420
Gray	0	0.0	529
Guadalupe	0	0.0	569
Hale	13	494.7	4
Hall	4	497.6	190
Hardeman	2	501.8	336
Hartley	0	0.0	509
Haskell	7	492.0	211
Hays	0	0.0	590
Hidalgo	6	484.4	46
Hill	3	495.8	250
Hockley	10	495.3	33
Houston	1	500.0	539
Howard	2	482.6	308
Hudspeth	0	0.0	182
Hunt	2	477.4	471
Jackson	1	498.1	121
Jim Wells	0	0.0	226
Johnson	0	0.0	566
Jones	6	500.1	460
Karnes	0	0.0	443
Kent	1	510.0	612
Kinney	0	0.0	505
Kleberg	2	501.5	41
Knox	1	502.0	168
Lamar	2	489.3	467
Lamb	15	499.6	11
Limestone	0	0.0	427
Live Oak	0	0.0	517
Lubbock	14	494.5	16
Lynn	10	496.3	27
Madison	0	0.0	567

See footnote at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Martin	5	497.2	210
Mason	0	0.0	498
Matagorda	1	485.0	87
Mcculloch	0	0.0	616
Mclennan	1	485.0	290
Medina	1	494.3	374
Midland	1	481.6	240
Milam	2	476.7	265
Mitchell	3	490.5	331
Moore	0	0.0	564
Motley	2	482.2	345
Navarro	2	491.8	244
Nolan	1	492.0	274
Nueces	7	496.7	15
Parmer	8	498.0	22
Pecos	1	490.0	251
Potter	0	0.0	565
Randall	0	0.0	477
Reagan	0	0.0	229
Red River	0	0.0	367
Reeves	1	483.2	303
Refugio	1	498.5	101
Robertson	4	491.0	205
Rockwall	0	0.0	577
Runnels	4	490.7	442
San Patricio	9	493.0	12
Schleicher	0	0.0	617
Scurry	3	483.4	282
Starr	0	0.0	540
Swisher	4	495.0	50
Terry	9	494.2	20
Tom Green	4	503.0	255
Travis	0	0.0	381
Upton	1	493.2	325
Uvalde	0	0.0	352
Victoria	0	0.0	150
Walker	2	479.8	497

See footnote at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2000 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Ward	0	0.0	615
Wharton	4	489.9	54
Wheeler	0	0.0	404
Wichita	0	0.0	576
Wilbarger	3	493.7	504
Willacy	5	492.2	32
Williamson	5	490.4	181
Wilson	0	0.0	499
Yoakum	5	488.5	81
Zavala	2	489.8	362
Texas	306	493.4	
Accomack	1	490.4	449
Amelia	0	0.0	591
Brunswick	0	0.0	513
Charles City	0	0.0	392
Chesapeake c	0	0.0	479
Dinwiddie	0	0.0	295
Greensville	1	481.6	233
Isle of Wigh	2	493.8	216
King William	0	0.0	415
King and Que	0	0.0	510
New Kent	0	0.0	541
Northampton	0	0.0	334
Prince Georg	0	0.0	500
Southampton	0	0.0	77
Suffolk City	1	484.0	151
Surry	0	0.0	291
Sussex	1	493.3	242
Virginia	6	490.0	
US TOTAL	1,018	492.6	

1/ Withheld to avoid disclosing individual data.

Note: County of origin was not determined for approximately 70,800 bales in the U.S., and ranking may be affected.

Cotton Ginnings: Number of Active Gins and Bales Ginned
by Size Group, State, and United States, Crop Year 2000

Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
All cotton	:		:		:	
US 1/	:	1,018	:	CA	:	83
1 - 2,999	:	142	:	1 - 2,999	:	4
3,000 - 4,999	:	68	:	3,000 - 4,999	:	1
5,000 - 6,999	:	69	:	5,000 - 6,999	:	2
7,000 - 9,999	:	132	:	7,000 - 9,999	:	11
10,000 - 14,999	:	153	:	10,000 - 14,999	:	2
15,000 - 19,999	:	118	:	15,000 - 19,999	:	7
20,000 - 39,999	:	227	:	20,000 - 39,999	:	26
40,000 - and over	:	109	:	40,000 - and over	:	30
AL	:	46	:	GA	:	69
1 - 2,999	:	7	:	1 - 2,999	:	4
3,000 - 4,999	:	6	:	3,000 - 4,999	:	0
5,000 - 6,999	:	3	:	5,000 - 6,999	:	2
7,000 - 9,999	:	9	:	7,000 - 9,999	:	6
10,000 - 14,999	:	11	:	10,000 - 14,999	:	10
15,000 - 19,999	:	3	:	15,000 - 19,999	:	9
20,000 - 39,999	:	6	:	20,000 - 39,999	:	25
40,000 - and over	:	1	:	40,000 - and over	:	13
AZ	:	51	:	LA	:	58
1 - 2,999	:	4	:	1 - 2,999	:	3
3,000 - 4,999	:	4	:	3,000 - 4,999	:	0
5,000 - 6,999	:	0	:	5,000 - 6,999	:	3
7,000 - 9,999	:	0	:	7,000 - 9,999	:	10
10,000 - 14,999	:	6	:	10,000 - 14,999	:	17
15,000 - 19,999	:	11	:	15,000 - 19,999	:	8
20,000 - 39,999	:	21	:	20,000 - 39,999	:	15
40,000 - and over	:	5	:	40,000 - and over	:	2
AR	:	86	:	MS	:	109
1 - 2,999	:	6	:	1 - 2,999	:	9
3,000 - 4,999	:	6	:	3,000 - 4,999	:	5
5,000 - 6,999	:	9	:	5,000 - 6,999	:	7
7,000 - 9,999	:	11	:	7,000 - 9,999	:	22
10,000 - 14,999	:	15	:	10,000 - 14,999	:	25
15,000 - 19,999	:	13	:	15,000 - 19,999	:	11
20,000 - 39,999	:	20	:	20,000 - 39,999	:	23
40,000 - and over	:	6	:	40,000 - and over	:	7

See footnote at end of table.


-- continued

Cotton Ginnings: Number of Active Gins and Bales Ginned
by Size Group, State, and United States, Crop Year 2000 (continued)

Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
MO	:	35	:	SC	:	34
1 - 2,999	:	1	:	1 - 2,999	:	8
3,000 - 4,999	:	3	:	3,000 - 4,999	:	2
5,000 - 6,999	:	5	:	5,000 - 6,999	:	3
7,000 - 9,999	:	5	:	7,000 - 9,999	:	1
10,000 - 14,999	:	6	:	10,000 - 14,999	:	11
15,000 - 19,999	:	8	:	15,000 - 19,999	:	3
20,000 - 39,999	:	6	:	20,000 - 39,999	:	6
40,000 - and over	:	1	:	40,000 - and over	:	0
NM	:	13	:	TN	:	36
1 - 2,999	:	3	:	1 - 2,999	:	0
3,000 - 4,999	:	1	:	3,000 - 4,999	:	1
5,000 - 6,999	:	2	:	5,000 - 6,999	:	2
7,000 - 9,999	:	5	:	7,000 - 9,999	:	3
10,000 - 14,999	:	0	:	10,000 - 14,999	:	9
15,000 - 19,999	:	2	:	15,000 - 19,999	:	8
20,000 - 39,999	:	0	:	20,000 - 39,999	:	9
40,000 - and over	:	0	:	40,000 - and over	:	4
NC	:	48	:	TX	:	306
1 - 2,999	:	3	:	1 - 2,999	:	66
3,000 - 4,999	:	1	:	3,000 - 4,999	:	38
5,000 - 6,999	:	1	:	5,000 - 6,999	:	27
7,000 - 9,999	:	2	:	7,000 - 9,999	:	44
10,000 - 14,999	:	3	:	10,000 - 14,999	:	34
15,000 - 19,999	:	5	:	15,000 - 19,999	:	27
20,000 - 39,999	:	19	:	20,000 - 39,999	:	46
40,000 - and over	:	14	:	40,000 - and over	:	24
OK	:	32	:		:	
1 - 2,999	:	24	:		:	
3,000 - 4,999	:	0	:		:	
5,000 - 6,999	:	2	:		:	
7,000 - 9,999	:	3	:		:	
10,000 - 14,999	:	1	:		:	
15,000 - 19,999	:	0	:		:	
20,000 - 39,999	:	1	:		:	
40,000 - and over	:	1	:		:	

1/ Total number of gins operating. Data excludes 4 gins in Florida, 2 gins in Kansas, and 6 gins in Virginia.

2000 All Cotton Ginnings Percent of U.S. Crop Ginned, by State



Cotton Ginnings 2000: A total of 16.7 million running bales were ginned during the 2000 season, 1 percent above 1999's ginnings of 16.5 million bales. An increase in acreage planted to cotton during 2000 was attributable to the favorableness of cotton as an alternative crop during times of low prices; however, harvested acreage decreased from 1999 due to drought and high temperatures in the extreme Southeast and southern Plains regions. Overall, the U.S. yield was 25 pounds above the previous year and offset the decline in harvested acreage.

There were 1,018 active cotton gins during the 2000 season, down from the 1,084 that operated in 1999. There were 336 ginnings firms processing more than 20,000 bales in 2000, compared with 333 the previous season.

Cotton, 2000 Final: All cotton production totaled 17.2 million bales, 1 percent above the 1999 production level. The 2000 output is the eighth largest crop on record. Upland cotton production, at 16.8 million bales, was 3 percent above the previous year. American-Pima production totaled 389,100 bales, down 42 percent from 1999.

The area planted to all cotton totaled 15.5 million acres, up 4 percent from 1999. Harvested area was 13.1 million acres, down 3 percent from last year. The increase in planted acreage was attributable to the favorableness of cotton as an alternative crop during times of low prices; however, harvested acreage decreased from 1999 due to drought and high temperatures in the extreme Southeast and southern Plains regions. Yields for the U.S. averaged 632 pounds per harvested acre.

Producers in the Southeastern States (Alabama, Florida, Georgia, North Carolina, and Virginia) experienced delays in planting cotton during the spring of 2000. Alabama, Florida, Georgia, and South Carolina were slowed due to extremely dry soils. Conversely, North Carolina and Virginia cotton producers experienced planting delays due to rain and lingering moisture. Moisture shortages persisted in parts of Alabama, Florida, Georgia, and South Carolina throughout most of the growing season. Rains received in some areas quickly evaporated due to hot, dry conditions. The lack of moisture led to the abandonment of some fields. Adequate moisture was received in North Carolina and Virginia; however, abnormally cool temperatures slowed development in some areas. Harvest began in most parts of the region during the middle of September and progressed near average for most of the fall. Virginia and parts of the Carolinas lagged behind average, due to the cool weather which slowed maturation of the crop.

The Delta States' (Arkansas, Louisiana, Mississippi, Missouri, and Tennessee) planted 3.94 million acres, a 5 percent increase over last year. Harvested area totaled 3.88 million acres. Planting progressed smoothly throughout most of the region. Dry weather permitted excess moisture to drain from fields and allowed planting to get into full swing by early May. Above normal temperatures stimulated development throughout the season, but resulted in some deterioration of condition. The rapid development of the crop allowed harvest to progress well ahead of the 5-year average. Louisiana growers were finished picking cotton prior to November 1, while the other Delta States had well over 90 percent of their acreage harvested before November. Rains during November delayed the completion of harvest in these States; however, by November 21, all five Delta States had completed harvest. Data from the objective yield surveys in the last 10 years show 2000 boll weights in Arkansas and Louisiana were the fourth lowest, while Mississippi's weight was second lowest.

Producers in the Southwestern States (Kansas, New Mexico, Oklahoma, and Texas) were able to maintain a planting pace on par with the 5-year average, despite combating weather delays. Weather conditions during the second half of May allowed Oklahoma cotton producers to stay well ahead of the 5-year average planting rate. Texas producers managed to maintain pace with average, despite extremely dry conditions and high winds. Hot, dry growing conditions early in the season resulted in development progressing ahead of average throughout most of the region. Most areas received rains during late June, easing moisture concerns that had developed during the month; however, the precipitation came too late for some fields which were plowed under and replanted to alternative crops. Extremely hot temperatures and high winds persisted throughout the remainder of the growing season, leading to depleted soil moisture, deteriorating condition ratings, and abandoned fields. Irrigated crops were also under stress in some areas of the Plains due to available water being exhausted at a rapid rate. Harvest began early due to the rapidly maturing crop and was aided by a light to killing frost in early October; however, progress slowed during November due to rain and high humidity. Quality and yields were adversely affected by the rainfall. Despite the delays, Oklahoma remained ahead of the 5-year average harvest pace. Texas, which began the harvest season ahead of average, had fallen off pace by mid-November.

Arizona and California experienced excellent planting conditions throughout the spring of 2000. By mid-May, California planting was virtually complete. Arizona producers had completed their planting by the end of May. The early planting and above average temperatures during June allowed the upland cotton in the West to progress well ahead of average. Irrigation alleviated any concerns associated with dry spells which accompanied the hot temperatures. Mild temperatures during parts of July and August resulted in some delays in crop development, but the early season progress allowed the crop to stay ahead of average. Harvest began on or ahead of normal, despite some rain delays. Although the rains had only minimal delays on harvest activities, quality factors were diminished in some areas. Data from the objective yield plots indicate California's boll weights are the second lowest since 1991. California producers decreased American-Pima planted acres by 40 percent from 1999, to 145,000 acres. The San Joaquin Valley began planting American-Pima cotton in late March, but cool weather resulted in some delays and slowed plant development. The crop progressed well, despite more cool weather during late August. Harvest proceeded ahead of average and was virtually complete by the beginning of December.

Cottonseed: Cottonseed production in 2000 totaled 6.44 million tons, up 1 percent from 1999.

Released May 10, 2001, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, U.S. Department of Agriculture. For information on "Cotton Ginnings 2000 Summary" call Jay Johnson at (202) 720-5944, office hours 7:30 a.m. to 4:00 p.m. ET.

The "Cotton Ginnings 2001 Summary" report will be released in May 2002.

The United States Department of Agriculture (USDA) prohibits discrimination in all its programs on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C., 20250-9410, or call 202-720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.

ACCESS TO REPORTS!!

For your convenience, there are several ways to obtain NASS reports, data products, and services:

INTERNET ACCESS

All NASS reports are available free of charge on the worldwide Internet. For access, connect to the Internet and go to the NASS Home Page at: <http://www.usda.gov/nass/>. Select "Today's Reports" or Publications and then Reports by Calendar or Publications and then Search, by Title or Subject.

E-MAIL SUBSCRIPTION

There are two options for subscribing via e-mail. All NASS reports are available by subscription free of charge direct to your e-mail address. 1) Starting with the NASS Home Page at <http://www.usda.gov/nass/>, click on **Publications**, then click on the **Subscribe by E-mail** button which takes you to the page describing e-mail delivery of reports. Finally, click on **Go to the Subscription Page** and follow the instructions. 2) If you do NOT have Internet access, send an e-mail message to: usda-reports@usda.mannlib.cornell.edu. In the body of the message type the word: **list**.

AUTOFAX ACCESS

NASSFax service is available for some reports from your fax machine. Please call 202-720-2000, using the handset attached to your fax. Respond to the voice prompts. Document 0411 is a list of available reports.

----- PRINTED REPORTS OR DATA PRODUCTS

CALL OUR TOLL-FREE ORDER DESK: 800-999-6779 (U.S. and Canada)
Other areas, please call 703-834-0125 FAX: 703-834-0110
(Visa, MasterCard, check, or money order acceptable for payment.)

ASSISTANCE

For **assistance** with general agricultural statistics or further information about NASS or its products or services, contact the **Agricultural Statistics Hotline** at **800-727-9540**, 7:30 a.m. to 4:00 p.m. ET, or e-mail: nass@nass.usda.gov.